

10/564,476

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal600txm

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

\* \* \* \* \* Welcome to STN International \* \* \* \* \*

NEWS 1 Web Page for STN Seminar Schedule - N. America  
NEWS 2 NOV 21 CAS patent coverage to include exemplified prophetic  
substances identified in English-, French-, German-,  
and Japanese-language basic patents from 2004-present  
NEWS 3 NOV 26 MARPAT enhanced with FSORT command  
NEWS 4 NOV 26 CHEMSAFE now available on STN Easy  
NEWS 5 NOV 26 Two new SET commands increase convenience of STN  
searching  
NEWS 6 DEC 01 ChemPort single article sales feature unavailable  
NEWS 7 DEC 12 GBFULL now offers single source for full-text  
coverage of complete UK patent families  
NEWS 8 DEC 17 Fifty-one pharmaceutical ingredients added to PS  
NEWS 9 JAN 06 The retention policy for unread STNmail messages  
will change in 2009 for STN-Columbus and STN-Tokyo  
NEWS 10 JAN 07 WPIDS, WPINDEX, and WPIX enhanced Japanese Patent  
Classification Data  
NEWS 11 FEB 02 Simultaneous left and right truncation (SLART) added  
for CERAB, COMPUAB, ELCOM, and SOLIDSTATE  
NEWS 12 FEB 02 GENBANK enhanced with SET PLURALS and SET SPELLING  
NEWS 13 FEB 06 Patent sequence location (PSL) data added to USGENE  
NEWS 14 FEB 10 COMPENDEX reloaded and enhanced  
NEWS 15 FEB 11 WTEXTILES reloaded and enhanced  
NEWS 16 FEB 19 New patent-examiner citations in 300,000 CA/CAPLUS  
patent records provide insights into related prior  
art  
NEWS 17 FEB 19 Increase the precision of your patent queries -- use  
terms from the IPC Thesaurus, Version 2009.01  
NEWS 18 FEB 23 Several formats for image display and print options  
discontinued in USPATFULL and USPAT2  
NEWS 19 FEB 23 MEDLINE now offers more precise author group fields  
and 2009 MeSH terms  
NEWS 20 FEB 23 TOXCENTER updates mirror those of MEDLINE - more  
precise author group fields and 2009 MeSH terms  
NEWS 21 FEB 23 Three million new patent records blast AEROSPACE into  
STN patent clusters  
NEWS 22 FEB 25 USGENE enhanced with patent family and legal status  
display data from INPADOCDB  
NEWS 23 MAR 06 INPADOCDB and INPAFAMDB enhanced with new display  
formats  
NEWS 24 MAR 11 EPFULL backfile enhanced with additional full-text  
applications and grants  
NEWS 25 MAR 11 ESBIOBASE reloaded and enhanced  
  
NEWS EXPRESS JUNE 27 08 CURRENT WINDOWS VERSION IS V8.3,  
AND CURRENT DISCOVER FILE IS DATED 23 JUNE 2008.  
  
NEWS HOURS STN Operating Hours Plus Help Desk Availability  
NEWS LOGIN Welcome Banner and News Items  
NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that  
specific topic.

All use of STN is subject to the provisions of the STN Customer  
agreement. Please note that this agreement limits use to scientific  
research. Use for software development or design or implementation  
of commercial gateways or other similar uses is prohibited and may

McIntosh

10/564,476

result in loss of user privileges and other penalties.

\*\*\*\*\* STN Columbus \*\*\*\*\*

FILE 'HOME' ENTERED AT 17:28:28 ON 16 MAR 2009

=> file reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.22

0.22

FILE 'REGISTRY' ENTERED AT 17:29:06 ON 16 MAR 2009

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2009 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 15 MAR 2009 HIGHEST RN 1121544-94-2

DICTIONARY FILE UPDATES: 15 MAR 2009 HIGHEST RN 1121544-94-2

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 9, 2009.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=>


Uploading C:\Program Files\Stnexp\Queries\10564476claim7.str

L1 STRUCTURE UPLOADED

=> d l1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> s l1

SAMPLE SEARCH INITIATED 17:29:32 FILE 'REGISTRY'

SAMPLE SCREEN SEARCH COMPLETED - 151 TO ITERATE

McIntosh

10/564,476

100.0% PROCESSED 151 ITERATIONS 0 ANSWERS  
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE \*\*COMPLETE\*\*  
BATCH \*\*COMPLETE\*\*  
PROJECTED ITERATIONS: 2283 TO 3757  
PROJECTED ANSWERS: 0 TO 0

L2 0 SEA SSS SAM L1

=> s l1 full  
FULL SEARCH INITIATED 17:29:36 FILE 'REGISTRY'  
FULL SCREEN SEARCH COMPLETED - 2752 TO ITERATE

100.0% PROCESSED 2752 ITERATIONS 11 ANSWERS  
SEARCH TIME: 00.00.01

L3 11 SEA SSS FUL L1

=> file caplus  
COST IN U.S. DOLLARS SINCE FILE TOTAL  
ENTRY SESSION  
FULL ESTIMATED COST 185.88 186.10

FILE 'CAPLUS' ENTERED AT 17:29:42 ON 16 MAR 2009  
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.  
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.  
COPYRIGHT (C) 2009 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Mar 2009 VOL 150 ISS 12  
FILE LAST UPDATED: 15 Mar 2009 (20090315/ED)

Caplus now includes complete International Patent Classification (IPC) reclassification data for the third quarter of 2008.

CAS Information Use Policies apply and are available at:

<http://www.cas.org/legal/infopolicy.html>

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3  
L4 6 L3  
=> d bib abs hitstr 1-6 l4

L4 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN  
AN 2007:1199729 CAPLUS  
DN 148:55317  
TI Synthesis of cyclic bis(3'-5')-2'-deoxyguanylic/guanylic acid (c-dGpGp) and its biological activities to microbes  
AU Mano, Erina; Hyodo, Mamoru; Sato, Yumi; Ishihara, Yuka; Ohta, Michio; Hayakawa, Yoshihiro  
CS Graduate School of Information Science/Human Informatics and CREST of JST, Nagoya University, Furo-cho, Chikusa, Nagoya, 464-8601, Japan  
SO ChemMedChem (2007), 2(10), 1410-1413  
CODEN: CHEMGX; ISSN: 1860-7179  
PB Wiley-VCH Verlag GmbH & Co. KGaA  
DT Journal  
LA English

McIntosh

10/564,476

OS CASREACT 148:55317

AB In this study, the authors describe a novel synthetic method for preparation of cyclic bis(3'-5')-2'-deoxyguanylic/guanylic acid (c-dGpGp). The effect of c-dGpGp on the biofilm formation and motility of several bacteria was examined. C-diGMP promoted the motility of *P. aeruginosa* and *V. parahaemolyticus*, but repressed the motility of *S. typhimurium*; on the other hand, c-dGpGp weakly repressed the motility of all of the bacteria. The conformational difference in c-dGpGp and c-diGMP may be one of the factors causing their different biol. properties.

IT 960065-34-3P 960065-36-5P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)


(synthesis of cyclic bis-deoxyguanylic guanylic acid and its effect on motility of some bacteria)

RN 960065-34-3 CAPLUS

CN 3'-Guanylic acid, 2'-deoxy-N-[(dimethylamino)methylene]-, 2-cyanoethyl 2-propen-1-yl ester (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.




RN 960065-36-5 CAPLUS



CN 3'-Guanylic acid, N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propen-1-ylguanylyl-(3'→5')-N-[(dimethylamino)methylene]-, 3'-(2-cyanoethyl) 3'-(2-propen-1-yl) ester (CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.



PAGE 1-A



RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN

AN 2006:207013 CAPLUS

DN 144:450867

TI Synthesis of cyclic bis(3'-5')diguanylic acid (c-di-GMP) analogs

AU Hyodo, Mamoru; Sato, Yumi; Hayakawa, Yoshihiro

CS Graduate School of Information Science/Human Informatics and CREST JST,  
Nagoya University, Chikusa, Nagoya, 464-8601, Japan

SO Tetrahedron (2006), 62(13), 3089-3094

CODEN: TETRAB; ISSN: 0040-4020

PB Elsevier B.V.

DT Journal

LA English

OS CASREACT 144:450867

AB This paper reports the synthesis of cyclic bis(3'-5')diguanylic acid (c-di-GMP) analogs, including the monophosphorothioic acid of c-di-GMP (c-GpGps), cyclic bis(3'-5')guanylic/adenylic acid (c-GpAp), and cyclic bis(3'-5')guanylic/inosinic acid (c-GpIp). These compds. are expected to be important, both in elucidating the mechanism of bioactive c-di-GMP and in designing and creating new bioactive c-di-GMP-related artificial derivs.

IT 827602-96-0 885370-28-5

RL: RCT (Reactant); RACT (Reactant or reagent)


(synthesis of cyclic bis(3'-5')diguanylic acid analogs including the monophosphorothioic acid of c-di-GMP, cyclic bis(3'-5')guanylic/adenylic acid, and cyclic bis(3'-5')guanylic/inosinic acid)

RN 827602-96-0 CAPLUS

CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-N-[(dimethylamino)methylene]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.


Double bond geometry unknown.



RN 885370-28-5 CAPLUS

CN 3'-Inosinic acid, 5'-O-[bis(4-methoxyphenyl)phenylmethyl]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-[2-(4-nitrophenyl)ethoxy]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.




IT 885370-24-1P 885370-26-3P 885370-29-6P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT  
 (Reactant or reagent)  
 (synthesis of cyclic bis(3'-5')diguanlyic acid analogs including the  
 monophosphorothioic acid of c-di-GMP, cyclic  
 bis(3'-5')guanlyic/adenlyic acid, and cyclic  
 bis(3'-5')guanlyic/inosinic acid)  
 RN 885370-24-1 CAPLUS  
 CN 3'-Guanlyic acid, P(O)-(2-cyanoethyl)-N-[(dimethylamino)methylene]-2'-O-  
 [(1,1-dimethylethyl)dimethylsilyl]-P-thioguanlyl-(3'→5')-N-  
 [(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-,  
 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
 Double bond geometry unknown.

PAGE 1-A







RN 885370-26-3 CAPLUS

CN 3'-Guanylic acid, P-(2-cyanoethyl)-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-N-(phenoxyacetyl)adenyl-1-(3'→5')-N-[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-, 2-cyanoethyl 2-propenyl ester (9CI)  
(CA INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.




RN 885370-29-6 CAPLUS

CN 3'-Guanylic acid, P-(2-cyanoethyl)-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-  
6-O-[2-(4-nitrophenyl)ethyl]inosinyl- (3'→5')-N-  
[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-,  
2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.

Double bond geometry unknown.

PAGE 1-A



PAGE 1-B



RE.CNT 27 THERE ARE 27 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 3 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN

AN 2005:58224 CAPLUS

DN 142:156269

TI Method of synthesizing cyclic dinucleotide

IN Hayakawa, Yoshihiro

PA Mitsui Chemicals, Inc., Japan

SO PCT Int. Appl., 56 pp.

CODEN: PIXXD2

DT Patent

LA Japanese

FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2005005450	A1	20050120	WO 2004-JP7000	20040517
	W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
	RW:	BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
	EP 1645561	A1	20060412	EP 2004-733482	20040517
	R:	AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK			
	US 20060167241	A1	20060727	US 2006-564476	20060113
PRAI	JP 2003-274389	A	20030715		



WO 2004-JP7000 W 20040517  
 OS MARPAT 142:156269  
 GI

\* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT \*

AB A compound represented by the general formula (I) (wherein R<sub>2</sub>, R<sub>3</sub> = H, halo, OMe, 2-methoxyethoxy, HO; B<sub>2</sub>, B<sub>3</sub> = a nucleic acid base) or a salt thereof can be synthesized from a compound represented by the general formula (II) (wherein R<sub>1</sub> = H, halo, OMe, 2-methoxyethoxy, HO substituted by a hydroxy-protecting group; B<sub>1</sub> = an optionally protected nucleic acid base). Cyclic bis(3'→5')dinucleotide I is useful as an anticancer agent (no data). Thus, N<sub>2</sub>-(allyloxycarbonyl)-O<sup>6</sup>-allyl-2'-O-(tert-butyldimethylsilyl)-5'-O-(4,4'-dimethoxytrityl)guanosine 3'-O-(allyl N,N-diisopropylphosphoramidite) (III) was condensed with 2-cyanoethanol in the presence of imidazolium perchlorate and mol. sieve 3A in MeCN followed by treatment with imidazolium perchlorate for oxidation and then with dichloroacetic acid in CH<sub>2</sub>Cl<sub>2</sub> for deprotection of 4,4'-dimethoxytrityl group gave guanosine phosphate triester (IV) (R = CH<sub>2</sub>CH<sub>2</sub>CN) which was similarly coupled with III to give dinucleotide IV (R = Q). IV (R = Q) was stirred with a mixture of 28% aqueous NH<sub>3</sub> and MeOH at room temperature for 30 min, concentrated under reduced pressure, taken up in toluene three times and each time concentrated under reduced pressure, dissolved in THF, treated with N-methylimidazole and triisopropylbenzenesulfonyl chloride, and stirred at room temperature for 20 h to give protected cyclic dinucleotide (V) which was deprotected by treatment with Ph<sub>3</sub>P, n-butylamine, formic acid, and Pd<sub>2</sub>[(C<sub>6</sub>H<sub>4</sub>CH=CH)<sub>2</sub>CO]<sub>3</sub>.CHCl<sub>3</sub> in THF at room temperature for 10 min and then with Et<sub>3</sub>N.3HF complex at room temperature for 12 h to give cyclic diguanilate I (B<sub>2</sub> = B<sub>3</sub> = guanine residue).


IT 609343-79-5P 609343-80-8P 827602-96-0P  
 827602-97-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (method of synthesizing anticancer cyclic dinucleotide and intermediates thereof)

RN 609343-79-5 CAPLUS

CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 609343-80-8 CAPLUS


CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propenyl-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]guanylyl-(3'→5')-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A




PAGE 1-B



RN 827602-96-0 CAPLUS

CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-N-  
[(dimethylamino)methylene]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA  
INDEX NAME)



Absolute stereochemistry.  
Double bond geometry unknown.



RN 827602-97-1 CAPLUS

CN 3'-Guanylic acid, N-[(dimethylamino)methylene]-2'-O-[(1,1-  
dimethylethyl)dimethylsilyl]-P-2-propenylguanylyl-(3'→5')-N-  
[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-,  
2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.  
Double bond geometry unknown.



RE.CNT 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 4 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN  
AN 2004:1038011 CAPLUS  
DN 142:156254  
TI An improved method for synthesizing cyclic bis(3'-5')diguanlylic acid  
(c-di-GMP)  
AU Hyodo, Mamoru; Hayakawa, Yoshihiro  
CS Graduate School of Information Science/Human Informatics and CREST JST,  
Nagoya University, Nagoya, 464-8601, Japan  
SO Bulletin of the Chemical Society of Japan (2004), 77(11), 2089-2093  
CODEN: BCSJA8; ISSN: 0009-2673  
PB Chemical Society of Japan  
DT Journal  
LA English  
OS CASREACT 142:156254  
AB This paper describes a new method for synthesizing biol. important cyclic  
bis(3'-5')diguanlylic acid (c-di-GMP) in a higher yield than that  
previously reported to be available by our synthetic method. In the new  
synthesis, the following two means, in place of those used in the  
previously reported synthesis, are employed as main strategies to obtain  
an increase in product yield. One is the use of di-tert-butylsilanediyl  
protection for 3'- and 5'-hydroxy groups of guanosine; this method allows  
regioselective production of a 2'-O-(tert-butyltrimethylsilyl)guanosine derivative  
that is a key intermediate for the synthesis. The other is the use of a  
dimethylformamidine group as a protector for the 2-NH2 function of the  
guanine base, which can be easily introduced and results in an excellent  
yield.  
IT 827602-96-0P 830330-55-7P  
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT  
(Reactant or reagent)  
(preparation of cyclic bis(3'-5')diguanlylic acid using  
di-tert-butylsilanediyl protection of the 3' and 5' hydroxy groups and  
dimethylformamidine to protect the amino group of the guanine base)


10/564,476

RN 827602-96-0 CAPLUS

CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-N-  
[(dimethylamino)methylene]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA  
INDEX NAME)

Absolute stereochemistry.

Double bond geometry unknown.




RN 830330-55-7 CAPLUS

CN 3'-Guanylic acid, P-(2-cyanoethyl)-N-[(dimethylamino)methylene]-2'-O-[(1,1-  
dimethylethyl)dimethylsilyl]guanylyl-(3'→5')-N-  
[(dimethylamino)methylene]-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-,  
2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.

Double bond geometry unknown.

PAGE 1-A



PAGE 1-B




RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

McIntosh

L4 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN  
 AN 2003:677651 CAPLUS  
 DN 140:199576  
 TI A new synthetic approach to cyclic bis(3'→5')diguanlylic acid  
 AU Kawai, Rie; Nagata, Reiko; Hirata, Akiyoshi; Hayakawa, Yoshihiro  
 CS Graduate School of Human Informatics, Nagoya University, Nagoya, 464-8601, Japan  
 SO Nucleic Acids Research Supplement (2003), 3(3rd International Symposium on Nucleic Acids Chemistry [and] 30th Symposium on Nucleic Acids Chemistry in Japan, 2003), 103-104  
 CODEN: NARSCE  
 PB Oxford University Press  
 DT Journal  
 LA English  
 AB A symposium. We developed a novel synthesis of biol. important cyclic bis(3'→5')diguanlylic acid (cGpGp). The present synthesis includes two strategies different from those employed in an existing synthesis. They are the phosphoramidite method for the preparation of a guanylyl(3'→5')guanylic acid intermediate and allyl protection for guanine bases and internucleotide linkages. These distinctive strategies have allowed the new synthesis to provide the target compound in a higher yield than that of the existing synthesis.  
 IT 609343-79-5P 609343-80-8P  
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)  
 (synthesis of cyclic bis(3'→5')diguanlylic acid via phosphoramidite method and allyl protection for guanine bases and internucleotide linkages)  
 RN 609343-79-5 CAPLUS  
 CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.




RN 609343-80-8 CAPLUS  
 CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propenyl-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]guanylyl-(3'→5')-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A



PAGE 1-B



RE.CNT 7 THERE ARE 7 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT

L4 ANSWER 6 OF 6 CAPLUS COPYRIGHT 2009 ACS on STN  
AN 2003:598480 CAPLUS  
DN 139:292443  
TI A facile synthesis of cyclic bis(3'→5')diguanlylic acid  
AU Hayakawa, Yoshihiro; Nagata, Reiko; Hirata, Akiyoshi; Hyodo, Mamoru;  
Kawai, Rie  
CS Laboratory of Bioorganic Chemistry, Graduate School of Human Informatics,  
Nagoya University, Nagoya, 464-8601, Japan  
SO Tetrahedron (2003), 59(34), 6465-6471  
CODEN: TETRAB; ISSN: 0040-4020  
PB Elsevier Science B.V.  
DT Journal  
LA English  
OS CASREACT 139:292443  
AB This paper describes a new method for synthesizing biol. important cyclic  
bis(3'→5')diguanlylic acid (cGpGp) in a higher yield than that of  
the existing synthetic method. In the new synthesis, the following two  
means, in place of those used in the existing synthesis are employed as  
main strategies to cause the increase in product yield. One of these  
distinctive strategies in the new synthesis is that the phosphoramidite  
method is used for the preparation of a key synthetic intermediate of a linear  
guanlyl(3'→5')guanlylic acid derivative. This method allowed  
higher-yield formation of the intermediate than that by the triester  
method used in the existing synthesis. The second distinctive strategy  
used in the new synthesis is that allyloxycarbonyl and allyl groups are  
used for the protection of two guanine bases and two internucleotide  
bonds, resp. These four allylic protectors can be removed all at once by  
the organopalladium-catalyzed reaction under neutral conditions. Thus,  
deprotection of the protected cGpGp precursor was achieved in the present  
synthesis in a shorter step and under milder conditions than the  
deprotection achieved in the existing synthesis, which uses diphenylacetyl

and o-chlorophenyl groups as protectors for two guanine bases and two internucleotide bonds, resp., whose full removal requires two different procedures including rather harsh basic treatment. As a result, tech. loss and decomposition of the target product in the new synthesis is remarkably reduced.

IT 609343-79-5P 609343-80-8P


RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation of cyclic diguanylic acid dinucleotides using allyloxycarbonyl and allyl protecting groups)

RN 609343-79-5 CAPLUS

CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-  
[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX  
NAME)

Absolute stereochemistry.





RN 609343-80-8 CAPLUS

CN 3'-Guanylic acid, 2'-O-[(1,1-dimethylethyl)dimethylsilyl]-P-2-propenyl-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]guanylyl-(3'→5')-2'-O-[(1,1-dimethylethyl)dimethylsilyl]-6-O-2-propenyl-N-[(2-propenyloxy)carbonyl]-, 2-cyanoethyl 2-propenyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.

PAGE 1-A





RE.CNT 22 THERE ARE 22 CITED REFERENCES AVAILABLE FOR THIS RECORD  
ALL CITATIONS AVAILABLE IN THE RE FORMAT